PRINTED: 07/18/2018 FORM APPROVED Health Regulation & Licensing Administration STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X2) MULTIPLE CONSTRUCTION (X3) DATE SURVEY AND PLAN OF CORRECTION IDENTIFICATION NUMBER: COMPLETED A. BUILDING: ... B. WING CPA-0092 06/27/2018 NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE 6323 GEORGIA AVENUE, NW SUITE 300 CONTEMPORARY FAMILY SERVICES, INC WASHINGTON, DC 20011 SUMMARY STATEMENT OF DEFICIENCIES PROVIDER'S PLAN OF CORRECTION ID (X5) PRÉFIX (EACH DEFICIENCY MUST BE PRECEDED BY FULL PREFIX (EACH CORRECTIVE ACTION SHOULD BE COMPLETE REGULATORY OR LSC IDENTIFYING INFORMATION) TAG TAG CROSS-REFERENCED TO THE APPROPRIATE DATE DEFICIENCY) S 000 Initial Comments S 000 On 06/27/18, at 10:10 a.m., DC Health, Health Regulation and Licensing Administration arrived to Contemporary Family Services, Inc. located at 6363 Georgia Avenue, NW, Suite 300, to conduct a licensure survey. The inspection could not be conducted due to no available staff to assist with the surveying process. A direct support person (DSP) and four day program clients were present in the facility. The DSP contacted the agency's Quality Assurance (QA) Manager for the Day Program and after speaking with the QA Manager, he informed the surveyor that he was on his way to an appointment and should arrive to the site in approximately three hours. The QA Manager then said that the surveyor could go to their main office located in Hyattsville, Maryland to review the CPA records. He further stated that he would contact the Human Resource Department to receive instructions for the survey. An inspection of the office space was conducted. There were several offices, office phones, computers and fax machines. As a result of the aforementioned findings, the survey was aborted.

Health Regulation & Licensing Administration

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE